



OptiPlex 7040



All of the performance. None of the compromise.

OptiPlex 7040 offers ultimate desktop performance with enterprise-class management and security in new, energy-efficient compact designs- Mini Tower, Small Form Factor and Micro Form Factor.

Available with up to 6th Gen Intel® Core™ i7 Processors, Intel® HD graphics, and Intel® vPro systems management, OptiPlex 7040 enables increased power and productivity without sacrificing space-savings.

Enhance these features with essential purpose-built Dell accessories such as award winning monitors, custom-designed cable covers, and a variety of Micro mounts for a complete computing experience; all backed by outstanding 24x7 ProSupport Plus.

For more information visit:

www.dell.com

Feature		7040 MT/SFF/Micro Technical Specification		
Processors ¹	Intel® 6th generation Core™ i5-i7 Quad Core, Core™ i3 Dual Core (65W for MT/SFF and 35W for Micro)			
Chipset	Intel® Q170 Chipset			
Operating System	Microsoft® Windows 10 Home 64 - bit, Microsoft® Windows 10 Pro 64 - bit Microsoft® Windows 8.1 Standard 64-bit, Microsoft® Windows 8.1 Pro 64-bit Microsoft® Windows 7® Professional SP1 (32/64 bit) Ubuntu® Neokylin® (China only)			
Graphics Options ²	Integrated Intel® HD Graphics 530 Supports optional discrete graphics MT/SFF: nVIDIA GeForce GTX 745 (MT only), AMD Radeon™ R7 350X, AMD Radeon™ R5 340X			
Memory ^{2,3}	Up to 4 DIMM slots (2 for Micro); Non-ECC dual-channel 2133MHz DDR4 SDRAM, up to 32GB (16GB for Micro)			
Networking	MT/SFF: Integrated Intel® i219-LM Ethernet LAN 10/100/1000; supports optional PCIe 10/100/1000 network card; Optional wireless: 802.11ac+ Bluetooth 4.1 card Micro: Integrated Intel® i219-LM Ethernet LAN 10/100/1000 ; optional wireless M.2 802.11ac +Bluetooth 4.1 card Note: The integrated Intel i219-LM Ethernet or Intel Wifi card 8260 is required to support Intel® vPro™ Technology for MT/SFF & Micro			
I/O Ports	10 External USB: 6 x 3.0 (2 front/4 rear) and 4 x 2.0 (2 front/2 rear - 1 front with PowerShare); 1 Internal USB 2.0; 1 RJ-45; 1 Serial; 2 Display Port 1.2; 1 HDMI 1.4; 2 PS/2; 1 UAJ, 1 Line-out; 1 VGA (optional) Micro: 6 External USB3.0 (2 front/4 rear – 1 front with PowerShare); 1 RJ-45; 1 HDMI 1.4; 1 Display Port 1.2; 1 UAJ (front); 1 Line-out(front); additional Display Port 1.2 (optional); 1 VGA (optional); Serial+PS2 (optional).			
Removable Media Options	Supports optional optical disc drives and media card reader (MT/SFF only)			
Hard Drive ⁴ Options (internal)	Hard Disk Drives: up to 2TB Supports Hybrid, Opal SED FIPS, M.2 Solid State Drive and M.2 PCIe Solid State Drive RAID 0 & 1 support on select configurations (MT/SFF only) No Hard Drive			
Chassis 17.62 / 8		Minitower (MT)	Small Form Factor (SFF)	Micro
	Dimensions (H x W x D) Inches/(cm)	13.8 x 6.1 x 10.8 / 35 x 15.4 x 27.4	11.4 x 11.5 x 3.6 / 29.0 x 29.2 x 9.26	7.2 x 7.0 x 1.4 / 18.2 x 17.8 x 3.6
	Min. Weight (lbs/kg)	17.62 / 8	10.7 / 4.48	3.12 / 1.41
	Number of Bays	1 internal 3.5" HDD (convertible to 5,25" ODD) 2 internal 2.5" HDD 1 external slim ODD	1 internal 3.5" HDD (convertible to 2 2.5" HDD) 1 external slim ODD	1 internal 2.5" bay
	Expansion Slots	1 full height PCIe x16 1 full height PCIe x16 (wired x 4) 1 full height PCIe x1 1 full height PCI 1 M.2 (22x80mm)	1 half height PCIe x16 1 half height PCIe x4 1 M.2 (22x80mm)	1 M.2 (22x30mm) 1 M.2 (22x80mm)
	Power Supply ⁵ Unit (PSU)	Standard 240W PSU Active PFC 240W typical 85% Efficient PSU (80 PLUS Bronze) ENERGY STAR complaint, Active PFC 240W typical 92% Efficient PSU (80 PLUS Platinum); ENERGY STAR complaint, Active PFC	Standard 180W PSU Active PFC 180W typical 85% Efficient PSU (80 PLUS Bronze) ENERGY STAR complaint, Active PFC 180W typical 92% Efficient PSU (80 PLUS Platinum); ENERGY STAR complaint, Active PFC	65W external adapter, 87% minimum average efficiency
Recommended Accessories	Monitors - qualified with Dell commercial monitors including Dell UltraSharp series - Award-winning high-performance monitors and ultra wide viewing, from 24"-34" Dell Professional series monitors available from 19"-27" Dell E series monitor 17" – 27"			
	Micro Mounting Options: Vertical Stand, VESA Mount, Dual VESA Mount, All in One Mount, Console with DVD-RW, All in One Mount for E Series Displays			
	Keyboards: Dell wired Keyboard with Multimedia functionality, Dell Smart Card Keyboard, Dell Wireless KB/Mouse, Logitech Wireless KB/Mouse			
	Mouse: Dell wired Mouse, Dell wireless mouse, Dell Laser Mouse.			
	Audio Speakers: Internal Dell Business audio speaker, Dell stereo speaker systems available; Dell sound bar for select Flat-panel displays. Dell Wireless Speaker System available.			



OptiPlex 7040

DVD
RW
RW






20937516806
SERVICE TAG 9199H4D2 EXPRESS SERVICE CODE

← Furnace



Features

Optiplex 7040 MT



1. Power button/Power light
2. Optical-drive bay
3. USB 2.0 connector with PowerShare
4. USB 3.0 connectors
5. Line-out connector
6. Hard-drive activity light
7. HDMI connector
8. Memory card reader (optional)
9. DisplayPort connector
10. Headphone connector
11. Serial connector
12. USB 2.0 connector
13. PS2/Keyboard connector
14. USB 3.0 connectors
15. USB 2.0 connectors (Supports Smart Power On)
16. Expansion-card slots
17. Power connector
18. Power-supply diagnostic button
19. Power-supply diagnostic light
20. Cable-cover lock slot
21. DisplayPort connector
22. Release latch
23. VGA connector (optional)
24. PS2/Mouse connector
25. Network connector
26. Security-cable slot
27. Padlock ring